




BARDAHL[®]
ADDITIVES & LUBRICANTS

*"The real success of a team is
to ensure competitiveness
on the long-term."*

(Alain Prost)



Head office and production facilities





Ole Bardahl
Founder of Bardahl (USA) in 1939

Sonia CALLENS LEPLAT
President

Dominique LEPLAT
President (1991-2017)

In the background - from left to right:
René VANDENDRIESSCHE
Dominique LEPLAT's grandfather
Founder of Sadaps BARDAHL in 1954

Jean LEPLAT
Founder of SOFRALUS in 1954
Official Bardahl distributor in France

When passion meets innovation: a family adventure born from youth and competition!

Ole Bardahl, a Norwegian engineer, developed in the 1930s a revolutionary lubrication principle based on polar attraction. This innovation was so exceptional that it was classified "defense secret" by the United States Army until the end of the Second World War. It was then released for commercial purposes.

The great story of Bardahl starts in 1939 in Seattle (USA).

It continues in France in 1954 when Jean LEPLAT, young visionary entrepreneur, proposes to the American brand to become its exclusive distributor for France. It is the start of an exciting adventure where everything still needs to be built! BARDAHL® vans started to crisscross the roads of France and, very quickly, the brand sponsored major motorsport events...

In 1963, Dominique LEPLAT (Jean LEPLAT's son) took over the company. In 1970 his company moved from a distribution to a manufacturing plant. Passionate about cars and racing, he built the brand visibility on circuits and paddocks: Formula France, Formula 2, 3 and Formula 1 with Christian Fittipaldi; the history of the brand is tightly linked to motorsports.

From generation to generation, several decades of presence in competition have allowed Bardahl to create brand awareness and build its expertise in direct contact with users: pilots and mechanics.

Indianapolis, 24 Hours of Le Mans, Paul Ricard Circuit, Castellet Circuit, Paris-Dakar, Ferrari, AC Cobra... Many prestigious references that have been contributing to building the brand reputation for more than 75 years.

Strong values for a strong future

Partner of major car manufacturers...

Thanks to this expertise, BARDAHL® continues to grow. It multiplies the number of partnerships with major car manufacturers and uses its know-how to diversify in other fields of business such as: marine, agriculture, industry, DIY, etc.



...and Sponsor of champions

Since 2016, BARDAHL® has been sponsoring the Sebastien Loeb Racing team and bringing the brand back on the circuits around the world. The story continues!

The "Bardahl girls", always present on the race tracks



Emerson Fittipaldi - "Bardahl team" pilot
World champion of Formula 1 in 1972 and 1974
Double winner of the Indianapolis 500 in 1989 and 1993



15 years of presence
in 24 h of Le Mans



Photo credit: ©Fraymedia-Dakar 2019.





BARDAHL, a global brand present on the 5 continents in more than 100 countries.

More than 80 years of **Research and Development**

In Sadaps Bardahl®, more than 300 people work everyday to develop, produce and dispatch Bardahl products...

- 2 production sites.

A production capacity of 75 million liters per year.

- 10 production and filling lines conceived to work 24 hours a day and 7 days a week.

A state-of-the-art R&D laboratory and a dedicated team of engineers.



Warehouse: Storage of 15,000 pallets



Tournai: logistic warehouse





Research and development, marketing, sales, training academy, technical services, customer service...

100% integrated skills for a better reactivity !

2 on-site research and development laboratories for a complete traceability

- A constant regulatory surveillance.
- Compliance with the European regulation (CLP).
- A strong QSE policy: the safety of our employees (ISO 45001) is one of our priorities.
- Quality (ISO 9001), environment (ISO 14001) and occupational health and safety (ISO 45001) certifications.



Customer service and technical support

An international customer service team available to satisfy every customer request.



Customer service

Integrated marketing services

From market analysis to product launch: a dedicated team to serve our worldwide customers. We take every country specificities into consideration to develop tailor-made solutions.

Bardahl® Training Academy



Learn and practice. Increase your technical knowledge and make your business more profitable with Bardahl. In 2017, Sadaps Bardahl® created the "Bardahl® Training Academy", on-site in Tournai (Belgium).

The sales and product training of our customers has always been a key part of our sales strategy. Technical workshops are regularly organized on the latest product developments. It is also used by our marketing department for photo and video shoots, and by our R&D department for real case product testing.

Bardahl® Training Academy is open for all Bardahl distributors and customers worldwide.





A factory for our products and those of our partners !

They trust us:

Peugeot - Citroën - Volkswagen - Renault - Ford - Fiat - Suzuki - John Deere - Michelin
Total - Norauto - Nissan, etc. (non-exhaustive list)



Many partners trust us...

Evolution over the years

The big brands are those that cross time and are able to adapt to their market. Throughout our history, our teams have shaped the image of the brand by working with the major and innovative players of each era, without ever forgetting our roots.




BARDAHL®, tested and recommended formulas wherever quality is required.

Expertise Professional quality since 1939 **BARDAHL**

For every problem, there is a solution!

For counters & retail shops



Professional workshops



Additives

5in1 Cleaner

Bardahl NEW 5in1 powerful formula cleans the complete injection system and restores the original performance of injectors, with no need for dismantling. Cleans the turbo, the particulate filter, the valves and the catalytic converter and limits the clogging of the EGR valve without dismantling. Limits fuel overconsumption, loss of power and reduces costs by avoiding to replace expensive parts.



Diesel Ref. 9357B 12x500ml		3 266720 123727
Diesel Ref. 1365B 6x1L		3 266720 113650
Petrol Ref. 2372B 12x500ml		3 266720 293574
Petrol Ref. 1364B 6x1L		3 266720 113643

Diesel

**Anti-pollution
Performance
Economy**

Cleans and protects the entire injection system. By restoring the injector spraying flow, it solves problems of acceleration and their unstable tick-over. Restores engine performance and limits fuel overconsumption.



Ref. 1185
12x300ml



Ref. 1155B
12x500ml

Injector Cleaner



Diesel

**Reduces polluting
exhaust gases and
helps pass the
technical inspection
pollution test**

Reduces polluting exhaust gases and helps pass the technical inspection pollution test. Cleans and protects the complete fuel injection system. Limits fuel overconsumption. Increases power and performance.



Ref. 2320B
12x300ml

Stop smoke



Diesel

**Anti-pollution
Limits fuel
overconsumption**

Prevents clogging problems and lubricates the injection system. Protects valves and prevents valve seat wear. Stops knocking and backfiring. Limits fuel overconsumption. Protects the injectors and pump. Reduces exhaust smoke.



Ref. 1071B
12x300ml

Diesel treatment



Diesel

**Preventive and
curative
Treats 250 L**

Preventive and curative biocidal treatment to eliminate and prevent the formation of microorganisms (bacteria, fungi, algae). Destroys bacteria from both automotive and domestic diesel fuels.



Ref. 1066B
12x250ml

Diesel antibacteria



Fuel water remover

Petrol-Diesel



Eliminates condensation water from petrol and diesel fuel. Avoids injector and pump seizing. Protects the fuel system (injectors, pump and carburettor) against corrosion thanks to its lubricating properties. Assists cold starting and protects against idle speed.

Eliminates water in the fuel
Avoids injector seizing

Ref. 1082B
12x300ml



Diesel

Preventive DPF

Eliminates soot
Regenerates DPF
Extends DPF lifespan

Treatment to be used to prevent the clogging of the DPF. Facilitates the combustion of soot particles and the DPF regeneration. Extends the particle filter lifespan.



Ref. 3612
12x300 ml



Cetane booster

Diesel



Increases cetane rate by up to 5 points. Improves combustion and prevents engine deposits. Increases engine power and performance. Makes cold starting easier.

Eliminates pinking and poor detonation

Ref. 2305
12x500ml



Petrol

Injector Cleaner

Anti-pollution
Performance
Economy

Cleans and protects the entire injection system. By restoring the injector spraying flow, it solves problems of acceleration and their unstable tick-over. Restores engine performance and limits fuel overconsumption.



Ref. 2101
12x300 ml



Ref. 1198B
12x500 ml



Commonrail diesel additive

Diesel



Lubricates pump and injectors. Protects against corrosion and oxidation. Increases cetane rate. Reduces polluting emissions. Improves combustion and limits fuel overconsumption.

Preventive Lubrication
Cetane booster

Ref. 1072
12x500ml



Petrol

Carburettor cleaner

Cleans and protects without dismantling

Cleans and eliminates deposits from the carburettor system. Improves power, responsiveness and acceleration. Reduces black exhaust smoke and limits fuel overconsumption. Eliminates rough idle speed and problems of acceleration.



Ref. 1110B
12x500 ml



BDC

Diesel



Lubricates and reduces wear in the upper part of cylinders. Eliminates carbon deposits. Protects against corrosion and oxidation. Increases the cetane rate, improving combustion and reducing fuel consumption.

Lubricates & reduces wear
Cleans deposits
Increases cetane rate

Ref. 1200
12x1L



Ref. 1252
6x500ml



Petrol

Fuel treatment

Anti-pollution
Limits fuel overconsumption

Prevents clogging problems and lubricates the injection system. Protects valves and prevents valve seat wear. Stops knocking and auto-ignition. Limits fuel overconsumption. Protects the injectors and carburettor. Reduces exhaust smoke.



Ref. 1069B
12x300 ml



Ref. 1149B
6x500 ml



Instead of lead

Petrol



Allows for the use of unleaded petrol in 2 and 4 stroke engines conceived to run on leaded fuel.
Prevents valve and seat damage.
Burns completely without leaving any deposit.
Extends the engine lifespan.

Protects valves
Lubricates

Ref. 1158B
12x250ml



Fuel stabilizer

Petrol



Avoids having to empty the tank for the winter season.
Avoids the clogging of fuel filters.
Burns completely without leaving deposits and ensures an optimal lubrication of valves and seats.

Easier cold start
Cleans the carburettor

Ref. 4874B
12x250ml



Octane Booster

Petrol



Increases the octane rate by up to 5 points (depending on the type of fuel treated).
Increases engine efficiency. Increases engine power and performance. Improves combustion and prevents engine deposits. Eliminates pinking, auto ignition and holes in the acceleration.
Protects valves and seats against wear.

Immediate action

Ref. 2301
12x300ml



Ref. 2302B
12x500ml



Stop Smoke

Petrol



Limits polluting fumes and prepares for the technical inspection pollution tests.
Cleans and protects the injection system.
Limits fuel overconsumption.

Reduces polluting fumes
Pre technical inspection treatment

Ref. 2321B
12x300ml



Petrol

Removes deposits
Eliminates rough idling
Restores responsiveness

Eliminates and dissolves all types of deposits on the external and internal parts of carburettor.
Resolves acceleration and idle speed problems.
Improves power and responsiveness.
Reduces exhaust gas and black smoke emissions.



Ref. 1115E
12x400ml

Carburettor Cleaner



Oil

Better performance
Reduced maintenance costs

Preventive oil treatment. Has excellent anti-wear, anti-friction and anti-oxidant properties.
Maintains engine performance and extends its lifespan.
Improves the lubrication of bearings, cams and pistons.



Ref. 1201
24x250ml

B1 - Oil treatment



Oil

Reduced oil overconsumption
Anti-friction

Curative oil treatment. Reduces friction between moving engine parts. Restores lost compressions.
Reduces engine wear and noise.
Limits black exhaust smokes.



Ref. 1001
12x300ml

B2 - Oil treatment



Oil

Better responsiveness
Better performance

Balances and increases compression.
Protects against wear at cold starting. Reduces noises and limits oil overconsumption.
Stops oil leaks and restores seal pliability.
Prevents oil burning and excessive exhaust smoke.



Ref. 1030B
6x473ml

Maxi compression




No Smoke



Restores segmentation tightness.
Limits oil overconsumption. Reduces engine noises.
Limits polluting emissions. Helps pass the anti-pollution technical inspection. Does not clog the oil filter.

Limits overconsumption
Limits polluting emissions
Reduces noises



Ref. 1020B
6x473 ml



3 266721 010200


Oil

Anti-wear



Lubricates and protects turbo and engine at cold start and when the oil level is too low.
Protects against oil oxidation.
Stabilizes the oil film at high temperature without changing the oil quality.

Lubricates and protects at cold start



Ref. 1216
12x400 ml



3 266720 012168


Oil

Full metal



Preventive and curative oil treatment.
Improves cold start lubrication.
Anti-wear and anti-friction protection.
Oil and fuel economy. Responsiveness, accelerations and performance. Immediate and long-lasting action.
Extends the engine lifespan and reduces engine wear by up to 40%. Active for up to 25,000 km.

Preventive and curative treatment
Anti-wear action



Ref. 2007B
12x400 ml



3 266720 120078


Oil

Turbo protect



Lubricates and protects turbo and engine when cold starting, when driving under extreme conditions and when the oil level is too low.
Protects turbo and engine against oil oxidation.
Thickens the oil film at high temperature without changing the oil quality and viscosity.

Anti-friction
Anti-wear
Engine protection



Ref. 3216B
12x300 ml



3 266720 132163

Oil


Oil

Stops leaks and seepages
Immediate and long-lasting action

Stops and prevents oil leaks from internal and external gaskets.
Restores the original properties of rubber, synthetic or natural crankcase gaskets (Viton, silicone, polyacrylate, type N buna), waterproof gaskets, seals, cylinder head or O-ring gaskets.



3 266720 011079



Ref. 1107B
12x300 ml

Engine stop leak




Oil

Before each oil change
Optimum lubrication
Avoids overheating and wear

Cleans the entire oil system and dissolves any type of deposit. Keeps deposits in suspension into the oil to evacuate them during the oil change.
Ensures an optimum lubrication after the cleaning.
Avoids premature wear of the engine.
Allows for a longer use of the new oil.



3 266720 110321



Ref. 1032B
12x300 ml

Engine flush




Oil

Eliminates deposits
Reduces engine noise

Dissolves and eliminates deposits in the oil channels.
Reduces engine and 'clicking' noise when cold starting.
Forms an anti-wear film to protect valve lifters.
Extends the engine lifespan.



3 266720 110221



Ref. 1022B
12x300 ml

Hydraulic valve lifters




Oil

To use after the manual gearbox oil change
Reduces friction and wear
Facilitates shifting

Reduces friction and wear.
Facilitates shifting, in particular at cold starting.
Leaves a protective film.
Extends the gearbox lifespan.



3 266720 110451



Ref. 1045B
12x150 ml

Manual gearbox additive



Power steering and automatic transmission stop leak

ATF



Restores the original properties of O-ring gaskets. Acts on gaskets and internal parts. Seals any type of leaks (pump, rack, valves). Improves oil performance by adding new additives. Reduces noise and vibration. Stops leaks and seepages from hose connections.

Reduces vibrations
Seals leaks
Compatible with any power steering, automatic transmission oil and LMH

Ref. 1755B
12x300ml



ATF conditioner

ATF



Maintains the oil original viscosity and reduces oil thinning. Prevents internal and external leaks. Protects against oxidation and wear. Can also be used in ATF power steering systems.

Restores performance
Makes shifting easier
Extends gearbox lifespan

Ref. 1758B
12x300ml



Automatic transmission flush

ATF



Dissolves and removes all types of deposits (gum, varnish, sludge). Holds deposits in suspension until the oil is drained. Ensures a perfect lubrication. Cleans perfectly the entire gearbox oil system.

Perfect internal cleaning
Avoids wear in gearbox
Extends gearbox lifespan

Ref. 1759B
12x300ml



Radiator stop leak

Radiator



Stops and prevents leaks in the cooling system, with no need for dismantling. Avoids the formation of rust and corrosion. Compatible with any type of engine, coolant and radiator. Avoids overheating. Immediate and long-lasting action.

Prevents leaks
Immediate action
No dismantling

Ref. 4001
12x300ml



Ref. 1099B
12x500ml



Radiator

Every 10,000km
Avoids overheating
Eliminates scale

Cleans with no need to dismantle the entire cooling system. Eliminates all types of deposits (rust, mud, scale,...). Does not damage hoses, gaskets or metals. Improves coolant circulation and avoids engine overheating.



Ref. 4010
12x300ml



Ref. 1096B
12x500ml

Radiator cleaner



Radiator

Cleans and degreases
No need for dismantling

Cleans and degreases, with no need to dismantle, the cooling system that has been contaminated by oil (leaking cylinder head gasket, oil cooler seepage). Eliminates any trace of oil, organic deposit, gum and dirt. Prevents deterioration of gaskets and hoses. Improves coolant circulation in the system and avoids engine overheating.



Ref. 4020
12x300ml



Ref. 1100B
12x500ml

Radiator oil remover



Display

Showcases products
Allows for additional sales

Solid metal counter display for a good presentation of Bardahl products in shops or on workshop reception desks.

Ref. 9260

Metal counter display (empty)





The solution to your needs




Oil treatments

Problem	Possible cause	Bardahl solution
Oil overconsumption without blue exhaust smoke.	Warm oil viscosity is poor/oil evaporation.	Add ref. 1001 to the engine oil (treats max 6 liters of oil). 
Oil overconsumption with blue exhaust smoke.	Engine is burning oil/poor warm oil viscosity/oil is passing through the piston rings/ inlet valve rubbers hard.	Add ref. 1020B into the engine oil. 
Oil overconsumption and makes blue exhaust smoke/low compression.	Engine burns oil/poor warm oil viscosity/oil passes through the piston rings/inlet valve rubbers hard/piston rings are dirty and are not assuring the tightness of piston/cylinder.	Add ref. 1030B into the engine oil. Half a bottle treats max 6 liters of oil. 
Hydraulic valves are ticking and making noise.	Oil canals to the hydraulic valves are clogged, hydraulic valves are not being supplied with enough oil.	Add ref. 1022B into the engine oil. 
Engine needs to be cleaned.	Sludge in the engine, flush your engine before draining the engine oil.	Add ref. 1032B into the engine oil. Drain the oil and refill with new oil. Add a preventive oil treatment and replace the oil filter. 
Engine oil leaks.	Rubbers/elastomers are hard and have no more flexibility, the additive will act on the rubbers and makes them soft/flexible again.	Add ref. 1107B into the engine oil. 
Engine needs anti-wear protection, less friction in the engine, easier cold start, camshaft protection, after 15.000 km.		Use ref. 1201 for old cars, use 1216 for new cars. Also suitable for racing engines. 
Wear.	Wear and less engine friction	Add ref. 1216 into the engine oil, or add ref. 3216B to engine oil. 
Need of anti-wear protection and restoring microscopic engine wear.	Anti-wear protection and restoring microscopic engine wear.	Add ref. 2007B into the engine oil. 







Gearbox and automatic gearbox treatments

Problem	Possible cause	Bardahl solution
Difficult shifting, cracking.	Poor oil quality, lack of EP additives.	Add ref. 1045B into the gearbox or differential. 
Automatic gearbox oil leaking.	Rubbers/elastomers are hard and have no more flexibility.	Add ref. 1755B into the oil. The additive will act on the rubbers and makes them soft/flexible again. 






Radiator treatments

Problem	Possible cause	Bardahl solution
Coolant system and radiator need to be cleaned, temperature coolant is too high.	Engine overheating.	Add ref. 1096B into the coolant. Drive for ten minutes or let the engine run at idle speed. Drain coolant and rinse with clear water for min. 5 min, refill the coolant circuit with new coolant. 
Coolant system or radiator is leaking.		Add ref. 1099B into the coolant system. 
Coolant system is greasy due to oil in the coolant.		Add ref. 1100B into the oil. Drive for ten minutes or let the engine run at idle speed. Drain coolant and rinse with clear water for min. 5 min, refill the coolant circuit with new coolant. 

Petrol treatments

Problem	Possible cause	Bardahl solution
Clogged petrol injection system, holes in the acceleration, black exhaust smoke.	Clogged petrol injection system.	Add ref. 1198B into the fuel tank and drive 50 km at high engine RPM. 
Carburettor is dirty, difficult start and holes in the acceleration, black exhaust smoke.	Clogged petrol carburettor.	Add ref. 1110B into the fuel tank and drive 50 km at high engine RPM. 
The exterior carburettor and air intake are dirty, it is necessary to clean.		Spray ref. 1115E on the parts while engine is running or in the air intake while the engine is running (with little spray shots). 
Poor engine performance.	Poor fuel quality.	Add ref. 1069B or ref. 1149B into the fuel tank. 
Holes in the acceleration, engine is misfiring.	Poor fuel quality, low octane rate.	Add ref. 2302B into the fuel tank. Can be used for racing engines. 
Vapor lock.	Absence of lead, petrol is getting too warm and creates air bubbles in the fuel.	Add ref. 1158B into the fuel tank. 

Diesel treatments

Problem	Possible cause	Bardahl solution
Clogged diesel injection system, holes in the acceleration, black exhaust smoke. Special for Common Rail Injection systems (CDI,HDI,TDI,TDCI,CRDI).	Clogged diesel injection system.	Add ref. 1155B into the fuel tank. Removes water, protects the pump and injectors. 
Clogged diesel injection system, holes in the acceleration, black exhaust smoke. For traditional diesel injection systems.	Clogged diesel injection system.	Add ref. 1185 into the fuel tank. 
Poor engine performance.	Poor fuel quality.	Add ref. 1071B or ref. 1200 into the fuel tank. 
Water in the diesel fuel.		Add ref. 1082B into the fuel tank. Can be used for petrol or diesel. 
Holes in the acceleration.	Poor fuel quality.	Add ref. 1072 or ref. 1200 into the fuel tank. 

Petrol-Diesel

Eco-cleaning 5in1 360 machine

Injectors
Particulate filter
Air intake
Diesel & Petrol
Turbo

5-function cleaning machine: injection, DPF, air intake (diesel & petrol) and turbo. Easy and efficient: 1 programme for each operation, 2 different circuits, 2 tanks of 2L. Connectors and accessories for each programme included.



Ref. 9372
1 machine

Petrol

Petrol air intake cleaning machine

Easy-to-use petrol air intake cleaning machine that aims to stop the impurities and other abrasive particles that would cause premature engine wear, loss of power and performance.



Ref. 9290
1 machine

Petrol-Diesel

DPF cleaning case

The case contains a gun with pressure regulator and hoses to be used with the DPF cleaning kit (ref. 9168B). Efficient and easy cleaning solution to prevent the replacement of particulate filters. Does not require any dismantling.



Ref. 9169
1 case + 1 gun

Eco
engine
cleaning®

Cleaning
the engine:
Why?

European emission standards called "Euro standards", Euro 5 (Sept 2009) and Euro 6 (Sept 2014) force car manufacturers to equip petrol and diesel vehicles with pollution control technologies: DPF, catalytic converters, EGR... This equipment aims to significantly reduce the emissions of polluting gases and harmful particles.

From 20.000 km:
1 car out of 2 gets clogged!

Bardahl® eco-cleaning programme is the economical and ecological solution to the engine clogging problems.

One technology for each problem



Air intake



Injection



EGR valve



Turbo



Particulate filter

+ Clean + Economical + Ecological

All cleaning procedures included **in one single machine**

	COLD ENGINE PARTS		HOT ENGINE PARTS		
	AIR INTAKE	INJECTION SYSTEM	COMBUSTION CHAMBER	EGR VALVE	DPF
MACHINE USING HYDROGEN	NO	NO	YES	Only if slightly clogged	Only preventive treatment
360⁵⁰⁰ 1	YES	YES, complete injection and pump system	YES	Only if slightly clogged	YES, even when the DPF is clogged

Profitable cleaning programmes for you and your customers

<p>Diesel DPF service package from 199€*</p>	<p>Diesel Ref. 9168KB Ref. 2319B</p>	<p>• Operating time : +/- 45mn</p> <p>1 = 1</p>
<p>Diesel Air intake service package from 99€*</p>	<p>Diesel Ref. 2332B 3x5L</p>	<p>• Operating time : +/- 2h30</p> <p>1 = Up to 5</p>
<p>Petrol Air intake service package from 129€*</p>	<p>Petrol Ref. 2334B 2x5L</p>	<p>• Operating time : +/- 2h00</p> <p>1 = Up to 5</p>
<p>Diesel or Petrol Injection service package from 89€*</p>	<p>Diesel Ref. 4771B Petrol Ref. 4772B 2x5L</p>	<p>• Operating time : +/- 45mn</p> <p>1 = Up to 7</p>

* For information only - Including prices for products and labour in France & Belgium.

Injector cleaners - special workshop

Petrol-Diesel



Removes all deposits. Avoids premature clogging of the injection pump, injectors, turbo, catalytic converter and particle filter. Improves fuel combustion. Restores power and engine performance. Makes cold starting easier. Reduces fuel consumption and exhaust smoke. To be used in machine ref. 9372.

Use Bardahl Injector cleaners and avoid spending **59€*** for new injectors

	Petrol Ref. 1036B 6x1L		Diesel Ref. 1037B 6x1L	
	Petrol Ref. 4771B 2x5L		Diesel Ref. 4772B 2x5L	

DPF cleaning kit

Diesel



Kit including: 1 DPF cleaner (1L), 1 DPF flush (2L), 1 DPF regenerator (300 ml). Eliminates deposits in DPF without leaving any residue. Formulation without ash or metal particles that guarantees a clean and regenerable DPF. Avoids power loss, fuel overconsumption and limits polluting emissions. Extends the lifespan and the proper functioning of the DPF. Compatible with any DPF. To be used with machine ref. 9372 and gun ref. 9169.

Use Bardahl DPF cleaner and avoid spending **1,500€*** for a new DPF

	Ref. 9168B 3x1kit	
--	-----------------------------	--

Air intake cleaner

Petrol-Diesel



Cleans without dismantling the entire intake system, valves, combustion chamber and injectors heads. Restores engine power and performance. Limits overconsumption and exhaust emissions. Refs. 2322B and 2332B to be used with machine ref. 9372. Ref. 2334B to be used with machines ref. 9372 and 9290.

Air intake cleaning service package:
Diesel: 59€*
Petrol: 139€*

	Diesel Ref. 2322B 6x1L			Diesel Ref. 2332B 3x5L			Petrol Ref. 2334B 2x5L	
--	-------------------------------------	--	--	-------------------------------------	--	--	-------------------------------------	--

Turbo cleaner

Diesel



Decreases without dismantling the mobile blades, the variable geometry and the fins of the turbo. Reduces seizing and improves turbo performance. Limits fuel overconsumption and polluting emissions. To be used with machine ref. 9372.

Use Bardahl Turbo cleaner and avoid spending **800€*** for a new Turbo

	Ref. 2335B 2x5L	
--	---------------------------	--

Diesel

Use Bardahl DPF cleaner and avoid spending **1,500€*** for a new DPF

Fuel additive to be used as a preventive treatment or to clean slightly clogged filters. Lowers the combustion temperature to destroy soot. Stops filter clogging due to the accumulation of soot (unburned particles). Avoids damage to specific components which allow for the burning of noxious particles. Extends the lifespan and the good functioning of the particulate filter.

	Ref. 1042B 12x1L
--	----------------------------

Particulate filter cleaner



Diesel

Use Bardahl Turbo cleaner and avoid spending **800€*** for a new Turbo

Fuel additive to be used as a preventive treatment or to clean slightly clogged turbos. Eliminates seizing problems in variable-geometry turbochargers with no need to dismantle. Increases engine performance. Reduces pollution. Increases the lifespan of turbochargers, catalytic converters and particle filters.

	Ref. 3206 6x1L
--	--------------------------

Turbo cleaner



Diesel

Removes gums, varnish, soot and deposits on the EGR valve. Restores airflow to the combustion chambers and eliminates the holes in the acceleration. Ensures perfect combustion. Limits fuel overconsumption, loss of power and the replacement of the EGR valve. Prevents the formation of deposits. Extends the lifespan and the good functioning of the EGR valve.

	Ref. 4326 12x400ml
--	------------------------------

EGR valve cleaner



Diesel

Facilitates the extraction and the disassembly of seized injectors, spark plugs or glow plugs, with no need for an extractor tool. Releases parts by penetrating deeply into rust particles, carbon deposit residues, soot and gasket deposits without any risk of damage or breakage.

	Ref. 4319B 12x400ml
--	-------------------------------

Injector dismantler



*Average price, labour excluded.

THE NEW QUEEN IN YOUR WORKSHOP

BIOCLEAN

BIOLOGICAL PARTS WASHER

BY **BARDAHL**

Very strong degreasing power



Before

After

Easily cleans

- Timing cases
- Clutch bells
- Gearboxes
- Carbon deposits on pistons, valves and cylinder heads
- Turbo unloading valves
- EGR valves...

MOBILE VERSION!



40 L

100L

✓ **Cleaning Performance**

✓ **User Friendly**

✓ **Safe for Operators**

| Eco-cleaning products

BioClean Fountain 100 L

Solvent free
Optimal health and safety conditions
High degreasing power

Cleans and degreases mechanical parts. High degreasing power and long-lasting efficiency. Easily refillable with BLB solution and tablets. Large soaking tray, rinsing tools included. Automatic temperature regulation.



100 L BioClean fountain
+ 5 x 20 L Bionet solution
+ 1 box of 4 tablets
Ref. 0810

EcoClean Fountain 40 L

Ergonomically designed mobile fountain

Cleans and degreases mechanical parts. Mobile and resistant, allows working as closely as possible to the vehicles at the workshop. High degreasing power and long lasting efficiency. Easily refillable with liquid solution, equipped with an interchangeable filter for easy maintenance.



40 L EcoClean fountain
+ 2 x 20 L Bionet solution
Ref. 0840

Bionet solution

For EcoClean & BioClean fountains

Aqueous based cleaning solution composed of specific surfactants, non-toxic and non-flammable. Solvent-free. Slightly perfumed. Safe to use. High degreasing power: removes deposits and cleans parts from any type of residue. Safe for metals, plastic and rubber.



Ref. 0828
1x20L

Tablets

For EcoClean & BioClean fountains

Concentrate of microorganisms which continuously purify the cleaning bath of Bardahl degreasing fountains.



Ref. 0824
1 box of 4 tablets



Racing products

Octane booster

Increases the octane rate
Improves power and performance

New concentrated formula to increase the octane rate of gasoline.
Ensures a better-controlled and more uniform gasoline combustion.
Reduces knock from pre-ignition and detonation.
Allows for better performance and power.



Ref. 13107
12x300ml



3 266720 131074

Oil

Improves lubrication
Reduces friction



Contains Bardahl unique C60 and Polar Plus formulation that covers and protects the turbo and engine with an unbreakable, anti-friction and pressure-resistant film. Reduces friction and therefore, improves accelerations.



3 266720 131036

Ref. 13103
12x300ml

Oil treatment



Gearbox oil

Reduces wear
Protects gearbox
Increases performance

Reduces wear on gear teeth. Increases gearbox performance thanks to the reduction of friction it will generate. Lowers the operating temperature. Reduces oxidation and protects against corrosion. Makes gear change easier thanks to its lubricating properties. Reduces gearbox noise. Protects the gearbox during sprint & endurance races.



3 266720 131050

Ref. 13105
12x150ml

Gearbox treatment



Coolant

Protects cooling system
Avoids overheating
Reduces engine temperature
Improves thermal exchanges

Improves the efficiency of thermal exchanges. Reduces the engine temperature during races up to 15 °C or 30 °F. Protects efficiently the cooling system against corrosion. Protects the water pump and avoids cavitation. Avoids overheating, loss of power and mechanical problems. Does not offer any antifreeze protection.



3 266720 131135

Ref. 13113
3x5L

Racing coolant



Car care products

Wheel cleaner

Easily eliminates dirt, brake dust, grease or tar on painted or varnished aluminum wheels and wheel covers. For deep cleaning or regular maintenance. Revives the original gloss and offers a long-lasting protection to the rims.



Plastics cleaner

Cleans, renovates, removes fingerprints. Non-greasy satin finish, pleasant scent and antistatic properties; prevents the dust from settling too quickly on the surfaces of the passenger compartment.

Cleans: ★★★
Renovates: ★★★
Makes shine: ★★★

I clean



I clean

Cleans: ★★★
Renovates: ★★★
Makes shine: ★★★

Amazing efficiency : cleans, degreases, easy to rinse. Its powerful formula preserves varnishes and paints. Its polishing agents provide an immediate and anti-mark gloss.



Polish shampoo



I clean

Cleans: ★★★
Renovates: ★★★
Makes shine: ★★★

Cleans, removes stains and revives the colors of the interior textiles. Restores the original appearance of dirty seats faded by time. Leaves a pleasant scent in the compartment. Suitable for regular maintenance or occasional cleaning.



Fabric cleaner



I clean

Cleans: ★★★
Renovates: ★★★
Makes shine: ★★★

Eliminates the oily film, the marks of insects and fingers. Does not leave any mark or reflect. Usable on glass or plastic headlamps. For the interior, spray the product on the microfibre cloth. Anti-nicotine.



Glass cleaner



I renovate

Cleans: ★★★
Renovates: ★★★
Makes shine: ★★★

Its optimized formula eliminates oxidation, stains, micro-scratches and swirls on any vehicle body paintwork. Restores a smooth surface, without superficial defects and provides an immediate shiny and water-repellent effect. Not suitable for mat paintwork.



Polish renovator



Scratch remover

I renovate



Its abrasive properties allow for a fast and optimal result. Efficiently removes marks, micro-scratches and localized defects. Its reinforced formula helps to reduce the deepest scratches, not requiring additional paint.

Cleans: ★★★
Renovates: ★★★
Makes shine: ★★★

Ref. 38912B
6x150g



Polish express

I make it shine



Very easy and quick to use. Its formula provides a layer of extreme shine and extra protection to the car body. Long-lasting protection for all points. Can be used after washing or as a finish of a paint renovation after polish renovator.

Cleans: ★★★
Renovates: ★★★
Makes shine: ★★★

Ref. 38914B
6x400ml



Microfibre clothes for body

Accessories



Specially designed for the car, this 420g/m² seamless microfibre cloth has two different faces: one to apply the product, the other to polish, without scratches !

Ref. 38920
12 x 1 unit



Microfibre clothes for plastics

Accessories



With its ultra thin weave, this 310g/m² microfibre cloth for plastics captures dust in every corner of the compartment. Its very soft mesh makes it possible to make the most fragile surfaces shine such as 'coated' plastics.

Ref. 38922
12 x 1 unit



Multipurpose microfibre clothes

Accessories



For regular maintenance or occasional cleaning. This microfibre cloth is suitable for any interior and exterior surfaces.

Ref. 38924
12 x 1 unit





Workshop consumables

Brake & Parts cleaner

Quickly cleans and eliminates all types of deposits from mechanical parts (brakes, gears, clutches, engines, chains, runners, guns, hedge trimmers,...).

It can be used for cars, motorbikes, agriculture, buildings, water sport, portable devices, motorised cultivators, do-it-yourself items, and many other household uses.

**Super degreasing
Immediate action**

Ref. 4451E
12x600ml



3 266720 144517

Contact spray

**Restores contacts
Dries quickly
Clean application**

Restores electrical constants and eliminates false contacts.
Removes oil, grease, dust, dirt and corrosion.
Dioxidises, repels water and moisture.
Does not leave any residue or greasy film.



3 266720 144593

Ref. 4459B
6x400ml



Airflow sensor cleaner

**Fast evaporation
Residue free
Eliminates dirt**

Dissolves and eliminates grease, dust and dirt from the airflow sensor.
Eliminates oxidation and repels water and moisture.
Restores the initial function of the airflow sensor.



3 266720 032593

Ref. 3259
12x400ml



Silicone lubricant

**Dry and clean
Long-lasting
Metal - PVC - Rubber**

Facilitates the sliding of moving parts where a grease can not be used.
Resists water and protects from moisture.
Eliminates noises and squeaks.
Can be used on any type of material.
Ideal to keep rubber flexible.



3 266720 144579

Ref. 4457B
6x400ml



White grease

**Interior and exterior
Reduces frictions
Long-lasting action**

Forms a very adhesive layer that protects from rust.
Facilitates assembly and disassembly.
Resists moisture and high temperatures.



3 266720 113810

Ref. 1381B
6x400ml



Clean Mousse



Concentrated, foamy and slightly perfumed formula. Dissolves and eliminates the deepest stain (greasy deposits, fingerprints, dust,...). Does not stain. Can be used on glass, plastics and fabrics.

Ultra-powerful
No silicone
No stains

Ref. 3214B
12x500ml



Power spray



Lubricates, protects and releases rusted parts. Eliminates any stain of grease, oil, tar or glue. Repels water and forms a highly resistant anti-oxidizing film.

Dry lubrication
Anti-oxidation
Anti-wear
Extreme pressure

Ref. 3271
12x400ml



BD 50



Unblocks, loosens, lubricates, cleans, eliminates squealing and protects against corrosion and humidity. Perfumed and without silicone. On any type of support.

Multifunctional
Lubricates and cleans

Ref. 3221
12x500ml



Universal grease



Excellent adhesion. Antiwear, extreme pressure, anti-corrosion and anti-shearing. Ideal for bearings, joints, locks, doors, cables...

Universal lithium
grease

Useful tool: professional grease pump made of steel.

Ref. 1529
6x150gr



Ref. 1527
6x500gr



Ref. 1528
12x400gr



Ref. 0073
6x1unit



Copper grease



High temperature
assembly paste
formulated from copper
powder

Prevents the seizure of mechanical parts from -20 °C to +1100 °C (studs, spark plugs, injectors, brake plates, exhaust, clutch...). Insoluble in water, it ensures contacts and prevents the appearance of rust oxides.



Ref. 1533
6x150gr

Silicone grease



Clean and odorless,
lubricates without
staining

Protects against moisture and ensures a perfect seal. Offers electrical insulation. Usable in contact with potable water. Can be used on all types of metal or plastic supports.



Ref. 1532
6x150gr

Red silicone gasket



Immediate action
Any type of sealing
Oil and fuel resistant

Creates any type of gasket in any needed shape within a few minutes. Creates a water and airtight connection. Resists to oil, antifreeze, fuel and many other chemicals. Temperature resistance : from -60°C to +300°C.



Ref. 4872B
12x200ml



Air conditioning products

Air conditioning disinfectant

The active formula of Bardahl Air conditioning disinfectant eliminates dust, bacteria, moulds present on the evaporator, the radiator, the air filter and the vents. Long-lasting protection against microbial and fungal growth. Purifies and deodorizes the air system. Pleasant smell in the passenger compartment.

Ref. 4334
12x125 ml



Passenger compartment purifier

The active formula of Bardahl Passenger compartment purifier eliminates dust and bacteria responsible for allergies and bad smells. It perfumes slightly the car and does not stain the passenger compartment parts.

Ref. 4336
12x125 ml

bactericidal (EN1276), fungicidal (EN1650). Eliminates viruses (EN14476).

Lubricants

Optimal lubrication, reinforced protection, reduced wear.

Synthetic oils miscible with any HFC-HFCF refrigerant gas. Maximum protection against wear and compressor blockage. Reduce the noise. Keep the evaporator clean. Do not contain wax or resin.

Low viscosity PAG ISO 46 oil

Ref. 4375
6x500ml

Ref. 4373
5x55g

Low viscosity PAG ISO 100 oil

Ref. 4376
2x500ml

Ref. 4372
5x55g

Low viscosity PAG ISO 150 oil

Ref. 4386
2x500ml

Ref. 4371
5x55g

Vaccum pump oil

Ref. 4293
2x1L

Maintenance kit and R1340 UV tracer

Ref. 4374
1 kit

HFO PAG 46 oil

Ref. 8220
5x55g

Hybrid + electrical vehicle POE oil

Ref. 4284
2x55ml

Hybrid + electrical vehicle POE KIT

- 1 injection syringe.
- 1 hose.
- 1 LP port converter.

Ref. 4304
1 kit

Leak detectors

Meet SAE J2297 and J2298 standards.

Solvent-free, do not leave deposits and do not damage the components, seals and lubricant of air conditioning systems. Their high fluorescence power makes it possible to quickly detect leaks, even in an engine compartment.


Leak detector UV tracer for R134a systems



Ref. 4370
5x55ml
3 266720 043704

Ref. 4250
2x250ml
3 266720 042509

Biodegradable UV tracer cleaner



Ref. 4238
2x500ml
3 266720 042387

Stop leak

Regenerates rubbers and prevents expensive gas refills.

Removes humidity from the circuit with a dehumidifying agent. Avoids the replacement of expensive parts. Limits fuel overconsumption. Immediate and long-lasting action.

Stop micro leak


For: R134a



Ref. 4436
2x42g
3 266720 044367

Adaptor

For: R12/R22/R134a



Ref. 4431
1 piece
3 266720 044312

Accessories

Help maintain the air conditioning system clean and safe.


Digital thermometer



- Probe.
- Alarm.
- Calibrated.
- Batteries.

Ref. 4377
1 thermometer
3 266720 043773

Low pressure tester



- In PSI.
- HP/LP Renault.

Ref. 4246
1 adaptor
3 266720 042462

Ref. 4380
1 tester
3 266720 043803

Protection kit: gloves + goggles



- 1 pair of safety goggles.
- 1 pair of protection gloves.

Ref. 4302
1 kit
3 266720 144456

Detection lamp



- 5 diode lamp.
- Safety UV goggles.
- Flexible.
- Batteries.

Ref. 4301
1x6 UV goggles
3 266720 043018

Ref. 4378
1 kit
3 266720 043780

Repair & maintenance cases

AC system maintenance cases allowing to solve leak problems. Plugs, O-rings and calibrated holes must be lubricated to avoid leaks and cracking issues.

Maintenance case 1

Contains: nozzles, plugs (7 references), standard and Asian corks, tools.



3 266720 047153

Ref. 4715
1 kit

Maintenance case 1bis

Contains: 65 nozzles and plugs specially for HFP 1234yf.



3 266720 082352

Ref. 8235
1 kit

Maintenance case 2

Contains: nozzles, plugs (7 references), O-rings and special gaskets for the air conditioning.



3 266720 047108

Ref. 4710
1 kit

Maintenance case 3

Contains: springblock tools and calibrated holes for Harrison assemblies.



3 266720 047245

Ref. 4724
1 kit

AdBlue®

AdBlue®

For vehicle with SCR technology.
Reduces NOx. Ready-for-use formula.

Ref. 3128 3x5L		3 266720 031282
Ref. 3129 1x10L		3 266720 031299
Ref. 3125 1x20L		3 266720 031251
Ref. 3130 1x240L		3 266720 031305
Ref. 3131 1x1000L		3 266720 031312

OptiBlue - AdBlue® treatment

Optimizes SCR operating temperature. Cleans and protects the AdBlue® injection system and the SCR system. Prevents urea from crystallizing. Stabilizes and improves AdBlue® efficiency with a better spraying. Extends SCR system lifespan.



Ref. 3158 12x250ml		3 266720 031589
-----------------------	--	-----------------



Ref. 4520 12x1L		3 266720 045203	Ref. 4495 3x5L		3 266720 044954	Ref. 5313 3x5L		3 266720 053130	Ref. 4528 1x20L		3 266720 045289
--------------------	--	-----------------	-------------------	--	-----------------	-------------------	--	-----------------	--------------------	--	-----------------



Tropical perfume Ref. 4832C 3x5L (+tablet)		3 266720 048327	Tropical perfume Ref. 4561B 3x5L		3 266720 045616	Apple perfume Ref. 5323 3x5L		3 266720 053239
--	--	-----------------	--	--	-----------------	------------------------------------	--	-----------------

Windscreen cleaners

Concentrated windscreen cleaners

Remove insects during summer and de-ice during the winter. Degrease and clean the windscreen perfectly. Do not damage paintwork, rubbers and wipers. Do not clog the nozzles. Leave a pleasant apple smell.

Ref. 4569 24x250ml		3 266720 045692	Ref. 4512 3x5L		3 266720 045128
Ref. 4515 24x250ml		3 266720 045159	Ref. 4518 1x20L		3 266720 045180
Ref. 4514 12x1L		3 266720 045142	Ref. 4519 1x210L		3 266720 045197

Winter windscreen cleaners -20°C

Ready-for-use winter windscreen cleaners. Degrease without leaving any mark. Prevent nozzles and hoses from freezing. Leave a pleasant apple smell in the passenger compartment.

Summer windscreen cleaners

All formulas are ethanol-based, and therefore safe for use and biodegradable. They have a high cleaning and degreasing power and remove insects without leaving any mark. Their sweet perfume leaves a pleasant atmosphere in the passenger compartment.

Ready-for-use summer windscreen cleaner with pouring spout: cleaner and easier. Economical: 1x 5L bottle + 1 free tablet = 10L of windscreen cleaner.



Coolants

XCL G12++ EVO 6-37°C

EURO VI, MB 325.5, VW-AUDI-SEAT-SKODA TL-774 G = G12++, MAN 324 Type Si-OAT.

The ready for use XCL G12++ Evo 6 -37°C coolant, specially formulated for high temperatures, reduces corrosion and prevents engine overheating on light and commercial vehicles and trucks.



Petrol | Diesel | Hybrid | Electric

Ref. 36653 3x5L New	
Ref. 36655 20L	
Ref. 36657 210L	
Ref. 36659 1000L	



ПFR 15-601 (except Res Alc), ASTM D3306/ D4656, BRITISH STANDARD BS 6580, JAPAN Standard JIS K2234, MIL BT-PS-606 A/ DCSEA615-C/ E-L-1415b/ FSD 8704, NATO S759, SAE J1034, ADE, Aston Martin, Behr, MB 326.3, GM 6277M/ GMW3420/ Saturn, VW-AUDI-SEAT- TL-774 D = G12/ TL-774 F = G12+, FORD WSS-M97B44, JAGUAR CMR 8229/ WSS-M97B44-D, RENAULT 41-01-001/- - S Type D, MITSUBISHI MHI, SUZUKI Santana, SKODA 61-0-0257, RENAULT VI 41-01-001/- - S Type D, MG Motors Rover, CLAAS, DAF Paccar 74002, DEUTZ 0199-99-1115/6/ 0199-99-2091/8, VOLVO 128 6083 / 002, MACK 014 GS 17009, MAN 324 Typ SBF/ D36 5600, LIEBHERR MD1-36-130, MTU MTL 5048, CUMMINS IS series u П14, CAT MAK A4.05.09.01, ISUZU, JENBACHER TA 1000-0200, IRISBUS Karosa, DETROIT DIESEL Power cool Plus, HITACHI, KUBOTA, YANMAR KOMATSU 07.892 (2009), JOHN DEERE JDM H5, TATA MOTORS CMR 8229, MAZDA MEZ MN 121 D/ TI 13-82.

Petrol-Diesel

XCL universal concentrated coolant

Antifreeze to be diluted in demineralised water to ensure long-lasting protection of both ferrous alloys and aluminum at high temperatures.

	Ref. 7111 12x1L		Ref. 7115 20L
	Ref. 7113 3x5L		Ref. 7118 200L



Petrol-Diesel

XCL universal -25°C

Ready for use coolant miscible and compatible with old technologies. The OAT additive film offers a long-lasting protection of both ferrous alloys and aluminum at high temperatures.

	Ref. 7311 12x1L New		Ref. 7318 200L
	Ref. 7313 3x5L		Ref. 7319 1000L



Petrol-Diesel

XCL universal -35°C

Ready for use coolant miscible and compatible with old technologies. The OAT additive film offers a long-lasting protection of both ferrous alloys and aluminum at high temperatures.

	Ref. 7321 12x1L New		Ref. 7325 20L
	Ref. 7323 3x5L		Ref. 7328 200L





VW, AUDI, SEAT, SKODA : TL-774 D = G12/ TL-774 F = G12+, Ford WSS-M97B44-D, Mercedes-Benz 325.3, Renault 41-01-001 (type D), General Motors GM 6277M, MAN 324 SFF, Mazda MEZ MN 121 D, Volvo, Claas, Deutz 0199-99-115, John Deere JDMH5, Komatsu 07.892(2009), DAF 74002, Fiat - Lancia 9,55523, Jaguar CMR 8229; ASTM D3306 (USA), ASTM D4656 (USA), ASTM D4985 (USA), BS 6580: 1992 (UK), AFNOR NF R15-601 (France)*, AS 2108 (Australia), SAE J 1034, FFV Heft R443, CUNA NC 956-16, UNE 26361-88, NATO S 759.

*Except the alkalinity reserve.

XCL G12/G12+ concentrated coolant

Petrol-Diesel



Antifreeze to be diluted in demineralised water to ensure long-lasting protection of both ferrous alloys and aluminum at high temperatures.

Ref. 7111R 12x1L	3 266720 171117	Ref. 7118R 20L	3 266720 171186
Ref. 7113R 3x5L	3 266720 171131	Ref. 7119R 1000L	3 266720 071196
Ref. 7115R 20L	3 266720 171155		

XCL G12/G12+ -25°C

Petrol-Diesel



The ready for use XCL G12/G12+ -25°C is a fully organic (OAT) and silicate-free coolant. Very high protection against corrosion: radiators, water pump, pipes. Ferrous alloys and aluminum protection. Excellent compatibility with gaskets and elastomers.

Ref. 8311 12x1L	3 266720 083113	Ref. 8315 20L	3 266720 083151
Ref. 6065 6x2L	3 266720 060657	Ref. 8318 200L	3 266720 083182
Ref. 8313 3x5L	3 266720 083137		

XCL G12/G12+ -37°C

Petrol-Diesel



The ready for use XCL G12/G12+ -37°C is a fully organic (OAT) and silicate-free coolant. Very high protection against corrosion: radiators, water pump, pipes. Ferrous alloys and aluminum protection. Excellent compatibility with gaskets and elastomers.

Ref. 8511 12x1L	3 266720 085117	Ref. 8518 200L	3 266720 085186
Ref. 8513 3x5L	3 266720 085131	Ref. 8517 1000L	3 266720 085179
Ref. 8515 20L	3 266720 085155		



PNR 15-601, ASTM D3306/ D4656, BRITISH STANDARD BS 6580, JAPAN Standard JIS K2234, MIL BT-PS-606 A/ DCSEA615-C/ E-L-1415b, FSD 8704, SAE J1034, BEHR, BMW GS94000, MERCEDES BENZ 325.0/ 325.2, GM-OPEL GME L1301/6901 599 (Saab), VW-AUDI-SEAT -SKODA TL-774 C = G11, FIAT 9.55523, FORD ESD-M97B49-A, PSA B71 5110, CHRYSLER-JEEP MS7170 (MOPAR), VOLVO 128 6083 / 002, IVECO Standard 18-1830, MAN 324 Typ NF, LADA TTM VAZ 1.97.717-97, MTU MTL 5048, CUMMINS 85T8-2.

Petrol-Diesel

XCL G11 concentrated coolant

Antifreeze to be diluted in demineralised water. Based on "Hybrid" technology (HOAT), for light vehicles and trucks. Contains MEG and organic (carboxylate) and mineral (silicate) inhibitors.

3 266720 061135	Ref. 6113 3x5L	3 266720 061180	Ref. 6118 200L
3 266720 061159	Ref. 6115 20L		



Petrol-Diesel

XCL G11 -25°C

The ready for use XCL G11 -25°C coolant prevents engine overheating. Based on "Hybrid" technology for light vehicles and trucks. Contains MEG and organic (carboxylate) and mineral (silicate) inhibitors.

3 266720 063139	Ref. 6313 3x5L	3 266720 063184	Ref. 6318 200L
3 266720 063153	Ref. 6315 20L		



Petrol-Diesel

XCL G11 -35°C

The ready for use XCL G11 -35°C coolant prevents engine overheating. Based on "Hybrid" technology for light vehicles and trucks. Contains MEG and organic (carboxylate) and mineral (silicate) inhibitors.

3 266720 065133	Ref. 6513 3x5L	3 266720 065188	Ref. 6518 200L
3 266720 065157	Ref. 6515 20L		





VW, AUDI, SEAT, SKODA TL-774 J = G13

XCL G13 -30°C

Petrol-Diesel



The ready for use XCL G13 -30°C coolant reduces corrosion and prevents engine overheating of light and commercial vehicles and trucks. The XCL G13 is a "Lobrid" technology liquid containing MEG, glycerol, mineral (silicate) and organic inhibitors.

Ref. 36633 3x5L	3 266720 366339	Ref. 36637 20L	3 266720 366377
Ref. 36635 20L	3 266720 366353		



PSA B71-5110, TOYOTA TMC 2WZ-TV

XCL 5110 -35°C

Petrol-Diesel



The ready for use XCL 5110 -35°C coolant reduces corrosion and prevents engine overheating on light and commercial vehicles and trucks. The XCL 5110 (PSA G33 type) is a very high performance liquid free from nitrite, phosphate, silicate and aliphatic additives. Ensures a long-lasting protection against corrosion of all engine metal parts (incl. aluminum and alloys).

Ref. 63113 3x5L	3 266720 631130	Ref. 63117 20L	3 266720 631178
Ref. 63118 20L	3 266720 631185		



The champions brand
Recommended by manufacturers



Engine & gearbox oils

More than 500 references
Official approvals - Latest specifications



Find our complete lubricant range

Specifications and packaging on our website

www.bardahloils.com



Follow us:



Marine products

Fuel stabilizer

When can it be used?



Extends the shelf life of fuel by up to 24 months.

Wintering: no need to empty tanks. Avoids motor breakdowns when launching for the next season.

In season: cleans the fuel system and avoids clogging. Eliminates the harmful effects of ethanol and avoids breakdowns. Ensures optimal lubrication of valves and seats. Compatible with EFI (Electronic Fuel Injection) engines.



Treats up to 250L of fuel

Ref. 43000
12 x 250 ml



Petrol



One bottle treats up to 100 L of fuel

Protects and keeps the fuel system clean. Allows for a better lubrication of the upper part of cylinders. Improves engine efficiency. Eliminates the harmful effects of ethanol. Limits fuel overconsumption.



Ref. 43050
12 x 300 ml

Fuel treatment



Petrol



One bottle treats up to 100 L of fuel

Cleans the entire injection system. Restores the injector spraying. Helps prevent seizing of injectors and pump. Removes holes in the acceleration and unstable idle. Restores the original engine performance. Limits fuel overconsumption.



Ref. 43060
12 x 300 ml

Injector cleaner



Petrol



One bottle treats up to 100 L of fuel

Cleans the inside and outside parts of carburetors and mono or multi-point injection systems. Dissolves and removes deposits from the air intake system. Improves responsiveness, power and acceleration. Safe for plastic or rubber seals.



Ref. 43090
12 x 400 ml

Carburettor cleaner



Diesel-Petrol



One bottle treats up to 150 L of fuel

Eliminates condensation water from fuel. Facilitates cold start. Prevents the formation of deposits and rust in the tank. Protects the power system. Helps prevent seizing of injectors and pump.



Ref. 43020
12 x 300 ml



Ref. 43027
1 x 210L

Water remover



Injector cleaner

Diesel



Cleans the entire injection system and restores injector spraying.
 Helps prevent seizing of injectors and pump.
 Removes holes in the acceleration and unstable idle.
 Restores the original engine performance.
 Limits fuel overconsumption.



One bottle treats up to 100 L of fuel

Ref. 43040 12x500ml		3 266720 430405
------------------------	--	-----------------

Fuel treatment

Diesel



Protects and keeps the fuel system clean.
 Allows for a better lubrication of the upper part of cylinders.
 Improves engine efficiency.
 Eliminates the harmful effects of ethanol.
 Limits fuel overconsumption.



One bottle treats up to 100 L of fuel

Ref. 43030 12x300ml		3 266720 430306
------------------------	--	-----------------

Biocide treatment

Diesel



Effective against bacteria, yeasts and other molds.
 Its preventive or curative use allows to disinfect all types of tanks as well as the fuel system.
 Avoids filter clogging. Neutralizes the acids generated by microorganisms and avoids corrosion of tanks.



For preventive or curative treatment
 Immediate action

Ref. 43010 12x250ml		3 266720 430108	Ref. 1248 1x20L		3 266720 012489
Ref. 43011 18x1L		3 266720 430115	Ref. 1247 1x200L		3 266720 012472

Wintering oil

Special treatment



Provides an optimum protection for all internal mechanical parts of the engine during the wintering season.
 Leaves a protective oily film with anti-corrosion properties.
 For any inboard and outboard engine.



Any 2- or 4-stroke engine

Ref. 4839 12x400ml		3 266720 048396
-----------------------	--	-----------------

Greases

Green marine grease



Green grease
 High protection in marine environment

Resists water, salt and moisture.
 Extends the lifespan of all lubricated parts.
 Protects against seizure, corrosion and oxidation.
 Facilitates disassembly.
 Anti-wear, extreme pressure and anti-shearing.

	Ref. 1791 12x150g
	Ref. 1792 24x400g
	Ref. 1798 24x500g

	Ref. 1794 1x16 Kg
	Ref. 1795 1x50 Kg
	Ref. 1796 1x180 Kg




Bardahl does not only take care of mechanics, but also supports its **partners and customers.**

Discover our wide range of goodies.



- 1 **T-shirts** : Ref. 0206*EX (yellow) - Ref. 0207*EX (grey)
(available from S to XL size)
- 2 **Caps** : Ref. 0467
- 3 **Display** : Ref. 9260



As well as a complete range of Sebastien Loeb **Racing** goodies.



- 4 **SLR Bodywarmer** : Ref. 0142*EX
- 5 **SLR Caps** : Ref. 0209EX

Ask for the full list to your Bardahl contact and discover our best-selling **and the latest Bardahl goodies!**

Let's go further together

*For 80 years, we have expressed the same vision:
a world without friction.*

*The same vision as the one driving Ole Bardahl, when he
developed in 1939 his revolutionary principle of lubrication.
A vision that defies time, and makes us the reference brand
in the automotive, agricultural and industrial sectors.*

*However, we do not only develop the best additives and lubricants
to boost performance and extend mechanics lifespan. We also
support our partners and customers by offering them services
and assistance that meet our commitments.*

*By combining competition spirit and team spirit, we want to go further.
We want to create products that care for our planet as for your mechanics.*

*That is the reason why we keep on investing in energy-saving
and environment-friendly technologies. Because, for 80 years, we have been
convinced that the real performance is maintained over time.*

And we will never stop.



SADAPS BARD AHL
Z.I. Tournai Ouest 2
Rue du Mont des Carliers, 3
7522 Tournai - Belgique
Tel. : (+32)(0) 69 59 03 60

www.bardahl.be

Follow us:

